

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/879,917	06/14/2001		Stephen P. Forte	T7093.0004/P004	5556
24998	7590	11/03/2005		EXAM	INER
DICKSTEI	N SHAPI	RO MORIN & OS	PEREZ, ANGELICA		
2101 L Street, NW Washington, DC 20037				ART UNIT	PAPER NUMBER
w asimigion,	DC 200	<i>31</i>		2684	

DATE MAILED: 11/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/879,917	FORTE, STEPHEN P.
Office Action Summary	Examiner	Art Unit
	Angelica M. Perez	2684
The MAILING DATE of this communication Period for Reply	on appears on the cover sheet with	h the correspondence address
A SHORTENED STATUTORY PERIOD FOR F THE MAILING DATE OF THIS COMMUNICAT - Extensions of time may be available under the provisions of 37 of after SIX (6) MONTHS from the mailing date of this communicat - If the period for reply specified above is less than thirty (30) days - If NO period for reply is specified above, the maximum statutory - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	CION. CFR 1.136(a). In no event, however, may a replon. s, a reply within the statutory minimum of thirty period will apply and will expire SIX (6) MONT at the statute, cause the application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communication. INDONED (35 U.S.C. § 133).
Status		
1)⊠ Responsive to communication(s) filed on	16 August 2005.	
	This action is non-final.	
3) Since this application is in condition for a closed in accordance with the practice ur	·	•
Disposition of Claims		
4) ⊠ Claim(s) <u>1-29</u> is/are pending in the application 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-29</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction	thdrawn from consideration.	
Application Papers		
9) The specification is objected to by the Ex		
10) The drawing(s) filed on is/are: a)	\square accepted or b) \square objected to b	y the Examiner.
Applicant may not request that any objection		• •
Replacement drawing sheet(s) including the call 11) The oath or declaration is objected to by the call to be the call to be the call to be the call	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, ,
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docu 2. Certified copies of the priority docu 3. Copies of the certified copies of the application from the International E * See the attached detailed Office action for	uments have been received. uments have been received in Ap e priority documents have been r Bureau (PCT Rule 17.2(a)).	oplication No received in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892)		ımmary (PTO-413)
 Notice of Draftsperson's Patent Drawing Review (PTO-943) Information Disclosure Statement(s) (PTO-1449 or PTO/921449) Paper No(s)/Mail Date 		/Mail Date formal Patent Application (PTO-152)

Art Unit: 2684

DETAILED ACTION

Response to Argument

1. Applicant's arguments filed 8/16/2005 have been fully considered but they are not persuasive.

- 2. In the remarks, the applicant argued in substance:
- (A) "Applicant respectfully submits that the cited combination fails to disclose the claimed invention", "A simulated dial tone that provides 'access' to an enterprise communication network is simply not disclosed anywhere in Hartmaier", "Karpus by contrast... This is different than the claim invention" pages 14 and 15.

In response to argument (A), the examiner would like to point that, in deed,
Hartmaier does not teach the cited limitations. However, as indicated in the rejected
claim Karpus teaches the limitation in question (See claim 19 rejection below). Also,
arbitration is part of the accessing process in communication networks.

(B) "... it is improper to combine the references in the manner suggested...", page 16.

In response to argument (B), the examiner would like to point that both references deal with interface for accessing communications; therefore, the combination is proper. Hartmaier in view of Karpus teaches all the features of claim 19 and respective dependent claims 20-25 as well as all the limitations of independent claim 29.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 27 and 28 are rejected under 35 U.S.C. 102(e) as being anticipated by Hartmaier (Hartmaier et al.; US Patent No.: US Patent No.: 005,978,672 A).

Regarding claims 27 and 28, Hartmaier teaches of a telecommunication device, network, method and enterprise comprising (columns 1, 3 and 5; lines 5-7, 10-14 and 17-22; where the third set of lines teaches of a device): a telephony interface (column 8, lines 65-67) the telephony interface for receiving a telephone call and identifying a dialed telephone number associated with the call (column 12, lines 37-40; e.g., "call screening"), the telephony interface using the dialed telephone number to retrieve at least a wireless telephone number and at least one user preference from a storage medium (column 12, lines 20-25; where it is inherent in the art to retrieve the information

that has been stored previously), and the telephony interface using the at least one retrieved user preference to route the call to at least one destination telephone number (column 15, lines 50-67), where the at least one destination telephone number is selected from the group consisting of the retrieved wireless telephone number and a voice mailbox telephone number (columns 12 and 15; lines 20-25 and 50-67; respectively).

Hartmaier does not specifically teach where the telephony interface routes the call to two destination telephone numbers substantially simultaneously.

In related art, concerning a multi-ring telephone method and system, Kugell teaches where the telephony interface routes the call to two destination telephone numbers simultaneously, a first destination telephone number corresponding to the retrieved wireless telephone number and a second destination telephone number corresponding to a retrieved second telephone number (column 1, lines 51-57).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier's method for routing and connecting users to different units corresponding to different networks with Kugell's route in the call to two destination telephone numbers substantially simultaneously in order to ensure that the called party can be reached, as taught by Kugell.

Art Unit: 2684

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-2, 5, 8, 10-13, 15-18 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over, Hartmaier (Hartmaier et al.; US Patent No.: 5,978,672 A) in view of Kugell (Kugell et al., US Patent No.: 5,802,160 A).

Regarding claims 1 and 26, Hartmaier teaches of a telecommunication device, network, method and enterprise comprising (columns 1, 3 and 5; lines 5-7, 10-14 and 17-22; where the third set of lines teaches of a device): a telephony interface (column 8, lines 65-67) the telephony interface for receiving a telephone call and identifying a dialed telephone number associated with the call (column 12, lines 37-40; e.g., "call screening"), the telephony interface using the dialed telephone number to retrieve at least a wireless telephone number and at least one user preference from a storage medium (column 12, lines 20-25; where it is inherent in the art to retrieve the information that has been stored previously), and the telephony interface using the at least one retrieved user preference to route the call to at least one destination telephone number (column 15, lines 50-67), where the at least one destination telephone number is selected from the group consisting of the retrieved wireless telephone number and a

Application/Control Number: 09/879,917

Art Unit: 2684

voice mailbox telephone number (columns 12 and 15; lines 20-25 and 50-67; respectively).

Regarding claim 2, Hartmaier teaches all the limitations of claim 1. Kugell further teaches where a first destination telephone number corresponds to the retrieved wireless telephone number and a second destination telephone number corresponds to a retrieved second telephone number (column 1, lines 51-57; see figure 1, items 24 and any of 20-25).

Regarding claim 5, Hartmaier in view of Kugell teaches all the limitations of claim 1. Hartmaier also teaches where the telephony interface routes a first and second calls to a first destination telephone number corresponding to the retrieved wireless telephone number and to a second destination telephone number corresponding to a retrieved second telephone number and as defined by the at least one retrieved user preference (column 16, table 2; e.g., the table indicates in the upper 4 levels where the office phone is the prime number, the routing first preference is given to the office number followed. Similarly the bottom part provides the preference to the mobile phone according to the user preference).

Regarding claim 8, Hartmaier in view of Kugell teaches all the limitations of claim 1. Hartmaier further teaches where the telephony interface routes the call to a single destination telephone number corresponding to the voice mailbox telephone number (column 16, table 2; e.g., "office voice mail" is a single destination).

Regarding claim 10, Hartmaier in view of Kugell teaches all the limitations of claim 1. In addition, Hartmaier where the telephony interface communicates with a

private branch exchange, and where at least one of the at least one destination telephone numbers is associated with the private branch exchange (column 11, lines 60-63).

Regarding claim 11, Hartmaier in view of Kugell teaches all the limitations of claim 10. Hartmaier also teaches where the at least one destination telephone number associated with the private branch exchange is associated with a cellular telephone (column 11, lines 60-63).

Regarding claim 12, Hartmaier in view of Kugell teaches all the limitations of claim 11. Hartmaier also teaches where the cellular telephone can operate independently from the device (column 3, lines 42-55; where the inherent programmable flexibility of cellular phones allows for independent as well as joint operability with other systems).

Regarding claim 13, Hartmaier in view of Kugell teaches all the limitations of claim 11. Also, Hartmaier teaches where another of the at least one destination telephone number is associated with a pager (column 12, lines 38-41).

Regarding claim 15, Hartmaier in view of Kugell teaches all the limitations of claim 1. Hartmaier further teaches where the telephony interface receives the call from a public switched telephone network, and where at least one of the at least one destination telephone number is associated with a private branch exchange (columns 1,2 and 10; lines 16-21, 14-16 and 39-42 respectively; e.g., PSTN and column 9, lines 5-7; where the PBX is the destination number).

Regarding claim 16, Hartmaier in view of Kugell teaches all the limitations of claim 15. Hartmaier further teaches where the at least one destination telephone number associated with the private branch exchange is associated with a cellular telephone.

Regarding claim 17, Hartmaier in view of Kugell teaches all the limitations of claim 1. Also, Hartmaier teaches where the telephony interface is connected to a local area network and the at least one user preference is input via the local area network (column 1, lines 5-7).

Regarding claim 18, Hartmaier in view of Kugell teaches all the limitations of claim 1. Hartmaier further teaches where the telephony interface is connected to the Internet and the at least one user preference is input via the Internet (column 9, lines 38-44).

7. Claims 3-4, 6-7 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartmaier in view of Kugell, and further tin view of Chow (Chow et al., US Patent No.: 006,711,401 B1).

Regarding claims 3 and 24, Hartmaier in view of Kugell teaches all the limitations of claims 2 and 23, respectively. Hartmaier also teaches where the telephony interface routes the call to a third destination number corresponding to the voice mailbox telephone number.

Hartmaier in view of Kugell does not specifically teach where the telephony interface routes the call to a third destination number corresponding to the voice

mailbox telephone number after a predetermined time as defined by the at least one retrieved user preference.

In related art concerning a wireless centrex call return, Chow teaches where the telephony interface routes the call to a third destination number corresponding to the voice mailbox telephone number after a predetermined time as defined by the at least one retrieved user preference (column 6, lines 35-40; where the "selected" time periods correspond to the user preferences).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier in view of Kugell telephony interface routes to a third destination number corresponding to the voice mailbox telephone number with Chow's predetermined time as defined by the at least one retrieved user preference in order to activate the messaging service after a certain elapsed time.

Regarding claim 4, Hartmaier in view of Kugell, and further in view of Chow teaches all the limitations of claim 3. Chow further teaches where the predetermined time corresponds to a number of telephone rings defined by the at least one retrieved user preference (column 6, lines 35-40).

Regarding claim 6, Hartmaier in view of Kugell teaches all the limitations of claim 5. In addition, Chow teaches where the at least one retrieved user preference defines a first ring count for the call to the first destination telephone number and a second different ring count for the call to the second destination telephone number (column 75, lines 5-14; e.g., ring type 1, ring type 2 and ring type; where the ringer can be programmed according to the user's preference).

Regarding claim 7, Hartmaier in view of in view of Kugell and further in view of Chow teaches all the limitations of claim 6. Hartmaier further teaches where the telephony interface routes the call to a third destination telephone number corresponding to the voice mailbox telephone number after the telephony interface rings the first destination number more than the first ring count (column 16, table 2; e.g., Idle and inactive in column 3 routed to office voice mail).

Regarding claim 14, Hartmaier in view of in view of Kugell teaches all the limitations of claim 10. Chow also teaches where another of said at least one destination telephone number is associated with a personal digital assistant (column 80, lines 62-67).

8. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hartmaier in view of Cox (Cox et al.; US Pub. No.: 2002/0,013,141 A1).

Regarding claim 9, Hartmaier teaches all the limitations of claim 1.

Hartmaier does not specifically teach where the telephony interface prompts a caller of the telephone call with a menu of call destination options and the telephony interface places the call to at least one destination telephone number in accordance with an option selected by the caller.

In related art concerning a method and system for personalized information services, Cox teaches where the telephony interface prompts a caller of the telephone call with a menu of call destination options and the telephony interface places the call to at least one destination telephone number in accordance with an option selected by the

caller (page 6, paragraphs 0099-0110; where the options can be customized according to the user's preference).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier's telecommunications network with Cox's menu in order to provide the caller with alternative routes of his/her preference).

9. Claims 19-23, 25 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over, Hartmaier in view of Karpus (Karpus et al.; US Patent No.: 5,884,191).

Regarding claim 19, Regarding claims 1, 26, 27 and 28, Hartmaier teaches of a telecommunication device, comprising (columns 1, 3 and 5; lines 5-7, 10-14 and 17-22; where the third set of lines teaches of a device): a telephony interface coupled to an enterprise telecommunication network (figure 6, column 8, lines 65-67) the telephony interface for receiving a telephone call from a wireless telephone and identifying wireless telephone number of the wireless telephone (column 12, lines 37-40; e.g., "call screening"), the telephony interface using the dialed telephone number to retrieve a first enterprise telephone number associated with the enterprise telecommunication network and with the wireless telephone and to retrieve at least one user preference from a storage medium (column 12, lines 20-25; where it is inherent in the art to retrieve the information that has been stored previously), and the telephony interface using the at least one retrieved user preference to route the call to at least one destination telephone number (column 15, lines 50-67), where the at least one destination telephone number is selected from the group consisting of the retrieved wireless telephone number and a

voice mailbox telephone number (columns 12 and 15; lines 20-25 and 50-67; respectively).

Hartmaier does not specifically teach of generating and sending the simulated dial tone to the wireless telephone to provide access to the enterprise communications network based on the at least one user preference and at least one enterprise preference associated with the enterprise telephone number.

In related art concerning interface systems for a mobile office environment, Karpus teaches of generating and sending the simulated dial tone to the wireless telephone to provide access to the enterprise communications network based on the at least one user preference and at least one enterprise preference associated with the enterprise telephone number (column 4, lines 49-54; where the preference).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier's method of providing access to an enterprise telecommunication network with Karpus's simulated dial tone in order to provide access notification to a cellular telephone.

Regarding claim 20, Hartmaier in view of Karpus teaches all the limitations of claim 19. Hartmaier further teaches where the at least one enterprise preference comprises a security group defining authorized outbound call access of a user of the wireless telephone (column 14, lines 58-65).

Regarding claim 21, Hartmaier in view of Karpus teaches all the limitations of claim 19. Hartmaier further teaches where the at least one user preference comprises a dial tone timeout period, where the user of the wireless telephone is prevented from

placing a call after the dial tone timeout expires (column 12, line 10-14; where it is known in the art that a phone call can not be placed after a dial tone expires).

Regarding claim 22, Hartmaier in view of Karpus teaches all the limitations of claim 19. Hartmaier further teaches where the telephony interface further comprises: means for receiving a second telephone call, the second telephone call being placed to the first enterprise telephone number associated with the enterprise telephone network; means for identifying the first enterprise number; means for using the first enterprise telephone number to retrieve at least the wireless telephone number; and means for using the at least one user preference to route the second call to at least one destination telephone number, where the at least one destination telephone number is selected from the group consisting of the wireless telephone number and a voice mailbox telephone number (column 16, lines 10; where when the telephone is "busy and active", a phone call being held, a second call is routed to the "office voice mail". Also, where the "enterprise" corresponds to the office network).

Regarding claim 23, Hartmaier in view of Karpus teaches all the limitations of claim 22. Hartmaier further teaches where the telephony interface routes the call to two destination telephone numbers simultaneously, a first destination telephone number corresponding to the retrieved wireless telephone number and a second destination telephone number corresponding to a retrieved second telephone number (column 16, table 2, columns 1 and 2 in the table indicate the office phone and mobile phone as the receivers of the call at the same time).

Regarding claim 25, Hartmaier in view of Karpus teaches all the limitations of claim 22. Hartmaier also teaches where the telephony interface routes a first and second calls to a first destination telephone number corresponding to the retrieved wireless telephone number and to a second destination telephone number corresponding to a retrieved second telephone number in a sequential manner and as defined by the at least one retrieved user preference (column 16, table 2; e.g., the table indicates in the upper 4 levels where the office phone is the prime number, the routing first preference is given to the office number followed. Similarly the bottom part provides the preference to the mobile phone according to the user preference).

Regarding claim 29, Hartmaier teaches of a method of providing access to an enterprise telecommunication network from a wireless telephone, the method comprises: receiving a telephone call from the wireless telephone (columns 1 and 15, lines 5-7 and 20-32, respectively; where the access can be done from either a public line telephone or a cellular telephone); identifying a wireless telephone number of the wireless telephone (column 13, table I, lines 32-38; where the "MIN", mobile identity number); using the wireless telephone number to retrieve an enterprise telephone number associated with the enterprise telecommunication network (column 12, lines 10-14; where the cellular telephone can connect to any of the PBX applications); providing telecommunication access to the enterprise telecommunication network based on at least one user preference and at least one enterprise preference associated with the retrieved enterprise telephone number (column 12, lines 21-24 and 37-44).

Hartmaier does not specifically teach of generating a simulated dial tone; sending the simulated dial tone to the wireless telephone.

In related art concerning interface systems for a mobile office environment, Karpus teaches of generating a simulated dial tone; sending the simulated dial tone to the wireless telephone (column 4, lines 49-54).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier's method of providing access to an enterprise telecommunication network with Karpus's simulated dial tone in order to provide access notification to a cellular telephone.

10. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over, Hartmaier in view of Karpus, and further in view of Schwab (Schwab et al.; US Patent No.: 6,597,781 B2).

Regarding claim 21, Hartmaier in view of Karpus teaches all the limitations of claim 19.

Hartmaier in view of Karpus does not teach where the at least one user preference comprises a dial tone timeout period, where a user of the wireless telephone is prevented from placing a call after the dial tone timeout period expires.

In related art concerning a call programming apparatus and method, Schwab teaches where the at least one user preference comprises a dial tone timeout period, where a user of the wireless telephone is prevented from placing a call after the dial tone timeout period expires (column 12, lines 61-63).

Application/Control Number: 09/879,917

Art Unit: 2684

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier in view of Karpus telecommunications network with Schwab's dial tone time out period in order to prevent the user of the cellular telephone from placing calls after an allocated time has expired, as taught by Schwab.

11. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over, Hartmaier in view of Karpus, and further in view of Chow (Chow et al., US Patent No.: 006,711,401 B1).

Regarding claim 24, Hartmaier in view of Karpus teaches all the limitations of claim 23. Hartmaier also teaches where the telephony interface routes the call to a third destination number corresponding to the voice mailbox telephone number.

Hartmaier in view of Karpus does not specifically teach where the telephony interface routes the call to a third destination number corresponding to the voice mailbox telephone number

after a predetermined time as defined by the at least one retrieved user preference.

In related art concerning a wireless centrex call return, Chow teaches where the telephony interface routes the call to a third destination number corresponding to the voice mailbox telephone number after a predetermined time as defined by the at least one retrieved user preference (column 6, lines 35-40; where the "selected" time periods correspond to the user preferences).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Hartmaier in view of Karpus telephony interface routes

Art Unit: 2684

to a third destination number corresponding to the voice mailbox telephone number with Chow's predetermined time as defined by the at least one retrieved user preference in order to activate the messaging service after a certain elapsed time.

12. Applicant's arguments with respect to claims 1-18 and 26- have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 2684

Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Patent No.: 5,206,901 A; refers to a method and apparatus for alerting multiple telephones for an incoming call.

14. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angelica Perez whose telephone number is 571-272-7885. The examiner can normally be reached on 7:00 a.m. - 3:30 p.m., Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either the PAIR or Public PAIR. Status information for unpublished applications is available through the Private PAIR only. For more information about the pair system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Information regarding Patent Application Information Retrieval (PAIR) system can be found at 866-217-9197 (toll-free). Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2600's customer service number is 703-306-0377.

EDAN ORGAD PATENT EXAMINER/TELECOMM.

Art Unit 2684

Page 19

October 25, 2005